

SMARTER LIGHTING CHOICES



SAL Lighting a Smarter Future  



2026/28






Designed
to Cool,
Crafted
to Last.



P415	WAVERLEY 52 SACF01/52/3	P417	WAVERLEY 52+ SACF01/52/3/L	P419	CROYDON 48 SACF11/48/3	P421	CROYDON 48+ SACF11/48/3/L
P423	AUGUST 52 SACF11/52/4	P425	AUGUST 52+ SACF11/52/4/L	P427	DALBY 56 SACF11/56/4	P429	DALBY 56+ SACF11/56/4/L
P431	BARDEN 52 SDCF21/52/4	P433	BARDEN 52+ SDCF21/52/4/L	P435	HOLBROOK 48 SDCF11/48/3	P437	HOLBROOK 48+ SDCF11/48/3/L
P439	FORBES 52 SDCF11/52/4	P441	FORBES 52+ SDCF11/52/4/L	P443	LEURA 56 SDCF11/56/4	P445	LEURA 56+ SDCF11/56/4/L




- High performance 50W AC motor.
- Powerful airflow 10,000 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Product codes - SACF01/52/3WH, SACF01/52/3BK.

Specifications
220-240V AC 50Hz
50W motor,
max 10,000m³/h
Mass: 6.4kg

Dimensions
52" (1320mm), H 317mm,
canopy diameter 150mm,
ceiling drop 296mm,
blade pitch 12.5°,
hang-sure angle ≤15°




WAVERLEY 52+
52" 132CM
High Performance Ceiling Fan



- High performance 50W AC motor.
- 18W LED light.
- Powerful airflow 10,000 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Product codes - SACF01/52/3WH/L, SACF01/52/3BK/L.

Specifications
220-240V AC 50Hz
50W motor,
18W LED,
max 10,000m³/h
Mass: 6.6kg

Dimensions
52" (1320mm),
H 340mm,
canopy diameter 150mm,
ceiling drop 296mm,
blade pitch 12.5°,
hang-sure angle ≤15°



- High performance 48W AC motor.
- Powerful airflow 10,820 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Summer and Winter fan control.
- Product codes - SACF11/48/3WH, SACF11/48/3BK.

Specifications
220-240V AC
50Hz
48W motor,
max 10,820m³/h
Mass: 5.4kg


Dimensions
48" (1252mm),
H 300mm,
canopy diameter 150mm,
ceiling drop 240mm,
blade pitch 12.5°,
hang-sure angle ≤15°



CROYDON 48+8
122CM
High Performance Ceiling Fan

3 speed wall control included.
Perfect for traditional retrofit AC installations.

Small size room



- High performance 48W AC motor.
- Powerful airflow 10,820 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- 20W CCT selectable LED.
- Product codes - SACF11/48/3WH/L, SACF11/48/3BK/L.

Specifications

220-240V AC 50Hz ,
48W motor,
20W LED,
max 10,820m³/h
Mass: 5.6kg

Dimensions

48" (1250mm),
H 325mm,
canopy diameter 150mm,
ceiling drop 240mm,
blade pitch 12.5°,
hang-sure angle ≤15°

AC
MOTOR
48 WATT

3 SPEED
WALL
CONTROL

SUMMER &
WINTER FAN
CONTROL

BLADES - 3

≤15°

LED
20 WATT

CCT SELECTABLE
3000K
WARM
WHITE

4000K
COOL
WHITE

6000K
DAYLIGHT



3 speed wall control included. Perfect for traditional retrofit AC installations.

AC MOTOR
54 WATT

3 SPEED
WALL CONTROL

SUMMER & WINTER FAN CONTROL


BLADES - 4

≤15°

AUGUSTA 52"
132CM
High Performance Ceiling Fan



Medium size room



- High performance 54W AC motor.
- Powerful airflow 11,630 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Summer and Winter fan control.
- Product codes - SACF11/52/4WH, SACF11/52/4BK.

Specifications
220-240V AC 50Hz
54W motor,
max 11,630m³/h
Mass: 6.4kg

Dimensions
52" (1362mm), H 300mm,
canopy diameter 150mm,
ceiling drop 240mm,
blade pitch 12.5°,
hang-sure angle ≤15°




AUGUSTA 52"
132CM
High Performance Ceiling Fan

3 speed wall control included.
Perfect for traditional retrofit AC installations.



Medium size room



- High performance 54W AC motor.
- Powerful airflow 11,630 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- 20W CCT selectable LED light.
- Ideal for indoor or covered outdoor environments.
- Product codes - SACF11/52/4WH/L, SACF11/52/4BK/L.

Specifications
220-240V AC 50Hz
54W motor,
20W LED,
max 11,630m³/h
Mass: 6.6kg

Dimensions
52" (1362mm), H 325mm,
canopy diameter 150mm,
ceiling drop 240mm,
blade pitch 12.5°,
hang-sure angle ≤15°

AC
MOTOR
54 WATT

3 SPEED
WALL
CONTROL

SUMMER &
WINTER FAN
CONTROL

BLADES - 4

≤15°

LED
20 WATT

CCT SELECTABLE
3000K
WARM
WHITE

4000K
COOL
WHITE


6000K
DAYLIGHT



3 speed wall control included. Perfect for traditional retrofit AC installations.



Large size room




- High performance 60W AC motor.
- Powerful airflow 13,050 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Summer and Winter fan control.
- Product codes - SACF11/56/4WH, SACF11/56/4BK.

Specifications
220-240V AC 50Hz
60W motor,
max 13,050m³/h
Mass: 7.4kg

Dimensions
56" (1460mm), H 300mm,
canopy diameter 150mm,
ceiling drop 240mm,
blade pitch 12.5°,
hang-sure angle ≤15°



Large
size room



- High performance 60W AC motor.
- Powerful airflow 13,050 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- 20W CCT selectable LED light.
- Ideal for indoor or covered outdoor environments.
- Product codes - SACF11/56/4WH/L, SACF11/56/4BK/L.

Specifications
220-240V AC 50Hz
60W motor,
20W LED,
max 13,050m³/h
Mass: 7.6kg

Dimensions
56" (1460mm), H 325mm,
canopy diameter 150mm,
ceiling drop 240mm,
blade pitch 12.5°,
hang-sure angle ≤15°

AC
MOTOR
60 WATT

3 SPEED
WALL
CONTROL

SUMMER &
WINTER FAN
CONTROL

BLADES - 4


≤15°

LED
20 WATT

CCT SELECTABLE
3000K
WARM
WHITE

4000K
COOL
WHITE

6000K
DAYLIGHT



- Super quiet 30W DC motor.
- Powerful airflow 10,160 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Fan timer and sleep mode control.
- Product codes - SDCF21/52/4WH, SDCF21/52/4BK.

Specifications
220-240V AC 50Hz
30W motor,
max 10,160m³/h
Mass: 5.0kg

Dimensions
52" (1320mm), H 265mm,
canopy diameter 154mm,
ceiling drop 190mm,
blade pitch 13.5°,
hang-sure angle ≤15°



BARDEN 52+
132CM
High Performance Ceiling Fan

6 speed wall control included, perfect for retrofit AC installations.

DC
MOTOR
30 WATT

6 SPEED
WALL
CONTROL

SUMMER & WINTER FAN CONTROL

BLADES - 4

≤15°

LED
22 WATT


CCT SELECTABLE
3000K
WARM
WHITE

4000K
COOL
WHITE

6000K
DAYLIGHT



Medium size room



- Super quiet 30W DC motor.
- Powerful airflow 10,160 m³/h.
- Durable ABS blade design.
- 22W dimmable, CCT selectable LED.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Fan timer and sleep mode control.
- Product codes - SDCF21/52/4WH/L, SDCF21/52/4BK/L.

Specifications

220-240V AC 50Hz
30W motor,
22W dimmable LED
max 10,160m³/h
Mass: 5.3kg

Dimensions

52" (1320mm), H 300mm,
canopy diameter 154mm,
ceiling drop 190mm,
blade pitch 13.5° ,
hang-sure angle $\leq 15^\circ$



HOLBROOK 48"
122CM
High Performance Ceiling Fan

6 speed wall
and remote control
included.

DC
MOTOR
30 WATT

6 SPEED
WALL
CONTROL


**SUMMER &
WINTER FAN**
CONTROL

BLADES - 3

≤15°



Small
size room



- Super quiet 30W DC motor.
- Powerful airflow 11,080 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Fan timer and breeze mode control.
- Product codes - SDCF11/48/3WH, SDCF11/48/3BK.

Specifications
220-240V AC 50Hz
30W motor,
max 11,080m³/h
Mass: 5.8kg

Dimensions
48" (1252mm), H 300mm,
canopy diameter 150mm,
ceiling drop 240mm,
blade pitch 13.5°,
hang-sure angle ≤15°



HOLBROOK
48"
122CM
High Performance Ceiling Fan

6 speed wall
and remote control
included.

DC
MOTOR
30 WATT

6 SPEED
WALL
CONTROL

**SUMMER &
WINTER FAN
CONTROL**

BLADES - 3


≤15°

LED
22 WATT

CCT SELECTABLE
3000K
WARM
WHITE

4000K
COOL
WHITE

6000K
DAYLIGHT




- Super quiet 30W DC motor.
- Powerful airflow 11,080 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- 22W dimmable, CCT selectable LED.
- Ideal for indoor or covered outdoor environments.
- Fan timer and breeze mode control.
- Product codes - SDCF11/48/3WH/L, SDCF11/48/3BK/L.

Specifications

220-240V AC 50Hz
30W motor,
22W dimmable LED
max 11,080m³/h
Mass: 5.8kg

Dimensions

48" (1252mm), H 325mm,
canopy diameter
150mm,
ceiling drop 240mm,
blade pitch 13.5°,
hang-sure angle ≤15°




- Super quiet 30W DC motor.
- Durable ABS blade design.
- Powerful airflow 12,290 m³/h.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Fan timer and breeze mode control.
- Product codes - SDCF11/52/4WH, SDCF11/52/4BK.

Specifications
220-240V AC 50Hz
30W motor,
max 12,290m³/h
Mass: 6.0kg

Dimensions
52" (1362mm), H 300mm,
canopy diameter 150mm,
ceiling drop 240mm,
blade pitch 13.5°,
hang-sure angle ≤15°



FORBES 52"
132CM
High Performance Ceiling Fan



- Super quiet 30W DC motor.
- Powerful airflow 12,290 m³/h
- 22W dimmable, CCT selectable LED.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Fan timer and breeze mode control.
- Product codes - SDCF11/52/4WH/L, SDCF11/52/4BK/L.

Specifications

220-240V AC 50Hz
30W motor,
22W dimmable LED,
max 12,290m³/h
Mass: 6.0kg

Dimensions

52" (1362mm), H 325mm,
canopy diameter 150mm,
ceiling drop 240mm,
blade pitch 13.5°,
hang-sure angle ≤15°

DC
MOTOR
30 WATT

6 SPEED
WALL
CONTROL

**SUMMER &
WINTER FAN
CONTROL**

BLADES - 4


≤15°

LED
22 WATT

CCT SELECTABLE
3000K
WARM
WHITE

4000K
COOL
WHITE


6000K
DAYLIGHT



- Super quiet 30W DC motor.
- Powerful airflow 12,660 m³/h.
- Durable ABS blade design.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Fan timer and breeze mode control.
- Product codes - SDCF11/56/4WH, SDCF11/56/4BK.

Specifications
220-240V AC 50Hz
30W motor,
max 12,660m³/h
Mass: 7.2kg

Dimensions
56" (1460mm), H 300mm,
canopy diameter 150mm,
ceiling drop 240mm,
blade pitch 13.5°,
hang-sure angle ≤15°



- Super quiet 30W DC motor.
- Powerful airflow 12,660 m³/h.
- Durable ABS blade design.
- 22W dimmable, CCT selectable LED.
- Choice of BLACK or WHITE models.
- Ideal for indoor or covered outdoor environments.
- Fan timer and breeze mode control.
- Product codes - SDCF11/56/4WH/L, SDCF11/56/4BK/L.

Specifications

220-240V AC 50Hz
30W motor,
22W dimmable LED
max 12,660³/h
Mass: 7.2kg

Dimensions

56" (1460mm), H 325mm,
canopy diameter 150mm,
ceiling drop 240mm,
blade pitch 13.5°,
hang-sure angle ≤15°



SMARTER LIGHTING CHOICES



🏠 SAL National Pty Ltd - 40 Biloela St, Villawood NSW 2163

☎ + 61 2 9723 3099

🌐 www.sal.net.au

✉ info@sal.net.au

🏠 VICT/TAS - 46/48 Keys Road Moorabbin VIC 3189

☎ + 61 3 9532 3168

✉ info@sal.net.au

🏠 QLD - 36 Whitelaw Place Richlands QLD 4077

☎ + 61 7 3879 5999

✉ info@sal.net.au

🏠 SA/NT - 79 Frederick St, Welland SA 5009

☎ +61 8 7084 1958

✉ info@sal.net.au

🏠 WA - 29 Beringarra Avenue Malaga WA 6090

☎ +61 8 9248 7458

✉ info@sal.net.au



2026/28