

VEET / IPART / REES
APPROVED PRODUCTS

Since 1998



Lighting Council
AUSTRALIA MEMBER

sal.net.au

<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9053 WP/DP LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • 7W, IP20, CRI>80 • CCT - 3000K/6000K • Lumen - 700lm/800lm <p>DOWNLOAD DATASHEET</p>
<p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9041 TC LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 92 mm, 10W, IP44, CRI>80 • CCT - 3000K/4200K/5700K selectable • Lumen - 800lm/900lm/850lm <p>DOWNLOAD DATASHEET</p>
<p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9041 TC S LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 92 mm, 10W, IP44, CRI>80 • CCT - 3000K/4200K/5700K selectable • Lumen - 800lm/900lm/850lm <p>DOWNLOAD DATASHEET</p>
<p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9045 WW LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 72 mm, 9W, IP20, CRI>80 • CCT - 3000K • Lumen - 700lm <p>DOWNLOAD DATASHEET</p>
<p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9046 WW/DL LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 92 mm, 9W, IP20, CRI>80 • CCT - 3000K/6000K • Lumen - 800lm/850lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9064 TC LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 72 mm, 7W, IP44, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 550lm/600lm/600lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9065 TC LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 92 mm, 9W, IP44, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 750lm/850lm/850lm <p>DOWNLOAD DATASHEET</p>

<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9066 TC LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 125 mm, 12W, IP44, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 1200lm/1350lm/1350lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9071 TC LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 92 mm, 10W, IP64, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 800lm/900lm/900lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9072 TC LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 118 mm, 14W, IP64, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 1000lm/1150lm/1150lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9073 TC/DP LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 135 mm, 18W, IP64, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 1400lm/1550lm/1550lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9074 TC/DP LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 160 mm, 20W, IP64, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 1600lm/1800lm/1800lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9075 TC/DP LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 195 mm, 30W, IP64, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 2600lm/2800lm/2800lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>S9076 TC/DP LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 240 mm, 40W, IP64, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 3600lm/3900lm/3900lm <p>DOWNLOAD DATASHEET</p>

 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9074 TC/HP LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 160 mm, 10W, IP64, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 1000lm/1100lm/1000lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9075 TC/HP LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 195 mm, 12W, IP64, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 1300lm/1400lm/1400lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9076 TC/HP LED DOWNLIGHTS</p> <ul style="list-style-type: none"> • Cut size Ø 240 mm, 18W, IP64, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 2100lm/2300lm/2200lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9514 TC LED SHOP LIGHT</p> <ul style="list-style-type: none"> • Cut size Ø L x W : 215 x 130 mm 36W/28W, IP20, CRI>80 • CCT - 3000K/4000K/5500K selectable • Lumen - 3600lm/2800lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9522 TC LED SHOP LIGHT</p> <ul style="list-style-type: none"> • Cut size Ø 160 mm, 22W/15W, IP20, CRI>80 • CCT - 3000K/4000K/5500K selectable • Lumen - 2100lm/1500lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9523 TC LED SHOP LIGHT</p> <ul style="list-style-type: none"> • Cut size Ø 195 mm, 40W/28W, IP20, CRI>80 • CCT - 3000K/4000K/5500K selectable • Lumen - 3800lm/2800lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9724/312 WW/CW/DL LED PANEL</p> <ul style="list-style-type: none"> • 36W, IP20, CRI>80 • CCT - 4000K/6000K • Lumen - 2200lm/2200lm <p>DOWNLOAD DATASHEET</p>

 <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9734/312 CW LED PANEL</p> <ul style="list-style-type: none"> • 38W, IP20, CRI>80 • CCT - 4000K • Lumen - 3500lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754/306 CW LED PANEL</p> <ul style="list-style-type: none"> • 18W, IP20, CRI>80 • CCT - 4000K • Lumen - 1900lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754/312 CW/DL LED PANEL</p> <ul style="list-style-type: none"> • 30W, IP20, CRI>80 • CCT - 4000K/6000K • Lumen - 3100lm/3200lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754/606 CW/DL LED PANEL</p> <ul style="list-style-type: none"> • 30W, IP20, CRI>80 • CCT - 4000K/6000K • Lumen - 3100lm/3200lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754/612 CW LED PANEL</p> <ul style="list-style-type: none"> • 48W, IP20, CRI>80 • CCT - 4000K • Lumen - 5200lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754HC/312 CW LED PANEL</p> <ul style="list-style-type: none"> • 40W, IP20, CRI>80 • CCT - 4000K • Lumen - 2800lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754HC/606 CW LED PANEL</p> <ul style="list-style-type: none"> • 40W, IP20, CRI>80 • CCT - 4000K • Lumen - 3200lm <p>DOWNLOAD DATASHEET</p>

 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754HC/612 CW LED PANEL</p> <ul style="list-style-type: none"> • 50W, IP20, CRI>80 • CCT - 4000K • Lumen - 4000lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754/306 TC LED PANEL</p> <ul style="list-style-type: none"> • 18W, IP20, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 1900lm/2000lm/2100lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754/312 TC LED PANEL</p> <ul style="list-style-type: none"> • 30W, IP20, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 3000lm/3100lm/3200lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754/606 TC LED PANEL</p> <ul style="list-style-type: none"> • 30W, IP20, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 3100lm/3200lm/3300lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754/612 TC LED PANEL</p> <ul style="list-style-type: none"> • 48W, IP20, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 5000lm/5200lm/5300lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754HO/312 TC LED PANEL</p> <ul style="list-style-type: none"> • 40W, IP20, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 3600lm/4000lm/3800lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9754HO/606 TC LED PANEL</p> <ul style="list-style-type: none"> • 40W, IP20, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 3700lm/4200lm/4000lm <p>DOWNLOAD DATASHEET</p>

 <p>VEET <input checked="" type="checkbox"/> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9774/312 WW/CW/DL LED PANEL</p> <ul style="list-style-type: none"> • 24W, IP20, CRI>80 • CCT - 300K/4000K/5700K • Lumen - 2400lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9774/606 WW/CW/DL LED PANEL</p> <ul style="list-style-type: none"> • 24W, IP20, CRI>80 • CCT - 300K/4000K/5700K • Lumen - 2400lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9774/612 WW/CW/DL LED PANEL</p> <ul style="list-style-type: none"> • 40W, IP20, CRI>80 • CCT - 300K/4000K/5700K • Lumen - 4000lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9784/312 WW/CW/DL LED PANEL</p> <ul style="list-style-type: none"> • 30W, IP20, CRI>80 • CCT - 4000K/5700K • Lumen - 2700lm/2700lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9784/606 WW/CW/DL LED PANEL</p> <ul style="list-style-type: none"> • 30W, IP20, CRI>80 • CCT - 4000K/5700K • Lumen - 2700lm/2700lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>SL9707/60 TC LOW PROFILE LED BATTEN</p> <ul style="list-style-type: none"> • 20W, IP20, CRI>80 • CCT - 3000K/4000K/5000K • Lumen - 1800lm/1900lm/1850lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>SL9707/120 TC LOW PROFILE LED BATTEN</p> <ul style="list-style-type: none"> • 35W, IP20, CRI>80 • CCT - 3000K/4000K/5000K • Lumen - 3300lm/3500lm/3400lm <p>DOWNLOAD DATASHEET</p>

 <p> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/> </p>	<p>SL9709/60 TC LOW PROFILE LED BATTEN</p> <ul style="list-style-type: none"> • 25W, IP20, CRI>80 • CCT - 3000K/4000K/5000K • Lumen - 2200lm/2600lm/2400lm <p>DOWNLOAD DATASHEET</p>
 <p> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/> </p>	<p>SL9709/120 TC LOW PROFILE LED BATTEN</p> <ul style="list-style-type: none"> • 48W, IP20, CRI>80 • CCT - 3000K/4000K/5000K • Lumen - 4400lm/5000lm/4800lm <p>DOWNLOAD DATASHEET</p>
 <p> VEET <input checked="" type="checkbox"/> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/> </p>	<p>SL9721/20W WW/DL LED WEATHERPROOF BATTEN</p> <ul style="list-style-type: none"> • 10/15/20W, IP65, CRI>80 • CCT - 3000K/5000K • Lumen - 900lm/1350lm/1800lm <p>DOWNLOAD DATASHEET</p>
 <p> VEET <input checked="" type="checkbox"/> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/> </p>	<p>SL9721/35W WW/DL LED WEATHERPROOF BATTEN</p> <ul style="list-style-type: none"> • 18/27/35W, IP65, CRI>80 • CCT - 3000K/5000K • Lumen - 1800lm/2700lm/3600lm <p>DOWNLOAD DATASHEET</p>
 <p> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/> </p>	<p>SL9726/20TC/HP LED WEATHERPROOF BATTEN</p> <ul style="list-style-type: none"> • 11W, IP65, CRI>80 • CCT - 3000K/4000K/6000K • Lumen - 990lm <p>DOWNLOAD DATASHEET</p>
 <p> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/> </p>	<p>SL9726/40TC/HP LED WEATHERPROOF BATTEN</p> <ul style="list-style-type: none"> • 22W, IP65, CRI>80 • CCT - 3000K/4000K/6000K • Lumen - 1900lm <p>DOWNLOAD DATASHEET</p>
 <p> VEET <input checked="" type="checkbox"/> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/> </p>	<p>SL9726/20TC/DP LED WEATHERPROOF BATTEN</p> <ul style="list-style-type: none"> • 10W/20W, IP65, CRI>80 • CCT - 3000K/4000K/6000K • Lumen - 900lm/1800lm <p>DOWNLOAD DATASHEET</p>

 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>SL9726/40TC/DP LED WEATHERPROOF BATTEN</p> <ul style="list-style-type: none"> • 20W/42W, IP65, CRI>80 • CCT - 3000K/4000K/6000K • Lumen - 1800lm/3600lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>SL9732/20 CW/HP DL/HP LED DIFFUSED BATTEN</p> <ul style="list-style-type: none"> • 10W, IP20, CRI>80 • CCT - 4000K/5700K • Lumen - 1100lm/1100lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>SL9732/40 CW/HP DL/HP LED DIFFUSED BATTEN</p> <ul style="list-style-type: none"> • 20W, IP20, CRI>80 • CCT - 4000K/5700K • Lumen - 2300lm/2300lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>SL9732/20 TC/DP LED DIFFUSED BATTEN</p> <ul style="list-style-type: none"> • 12W/20W, IP20, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 1200lm/1900lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>SL9732/40 TC/DP LED DIFFUSED BATTEN</p> <ul style="list-style-type: none"> • 22W/40W, IP20, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 2300lm/3800lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9733L/206 TC LED DIFFUSED BATTEN</p> <ul style="list-style-type: none"> • 20W, IP20, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 1800lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p>	<p>S9733L/212 TC LED DIFFUSED BATTEN</p> <ul style="list-style-type: none"> • 38W, IP20, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 3700lm <p>DOWNLOAD DATASHEET</p>

 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>S9733L/215 TC LED DIFFUSED BATTEN</p> <ul style="list-style-type: none"> • 65W, IP20, CRI>80 • CCT - 3000K/4000K/5700K selectable • Lumen - 5400lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>STD/106 CW/DL LED BARE BATTEN</p> <ul style="list-style-type: none"> • 9W, CRI>80 • CCT - 4000K/6000K • Lumen - 700lm/750lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>STD/112 CW/DL LED BARE BATTEN</p> <ul style="list-style-type: none"> • 18W, CRI>80 • CCT - 4000K/6000K • Lumen - 1400lm/1500lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>STD/206 CW/DL LED BARE BATTEN</p> <ul style="list-style-type: none"> • 2 x 9W, CRI>80 • CCT - 4000K/6000K • Lumen - 2 x 700lm/2 x 750lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>STD/212 CW/DL LED BARE BATTEN</p> <ul style="list-style-type: none"> • 2 x 18W, CRI>80 • CCT - 4000K/6000K • Lumen - 2 x 1400lm/2 x 1500lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>SL2106/20TC LED OYSTER LIGHT</p> <ul style="list-style-type: none"> • 10W, IP65, CRI>80 • CCT - 3000K/4000K/6000K • Lumen - 800lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>SL2106/30TC LED OYSTER LIGHT</p> <ul style="list-style-type: none"> • 20W, IP65, CRI>80 • CCT - 3000K/4000K/6000K • Lumen - 1600lm <p>DOWNLOAD DATASHEET</p>

<p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SL2106/40TC LED OYSTER LIGHT</p> <ul style="list-style-type: none"> • 24W, IP65, CRI>80 • CCT - 3000K/4000K/6000K • Lumen - 2000lm <p>DOWNLOAD DATASHEET</p>
<p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SO3700/30LE TC LED OYSTER LIGHT</p> <ul style="list-style-type: none"> • 16W, IP20, CRI>80 • CCT - 3000K/4000K/6000K selectable • Lumen - 1400lm/1500lm/1500lm <p>DOWNLOAD DATASHEET</p>
<p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SO3700/40LE TC LED OYSTER LIGHT</p> <ul style="list-style-type: none"> • 30W, IP20, CRI>80 • CCT - 3000K/4000K/6000K selectable • Lumen - 2500lm/2600lm/2600lm <p>DOWNLOAD DATASHEET</p>
<p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SO3701/30LE TC LED OYSTER LIGHT</p> <ul style="list-style-type: none"> • 16W, IP20, CRI>80 • CCT - 3000K/4000K/6000K selectable • Lumen - 1400lm/1500lm/1500lm <p>DOWNLOAD DATASHEET</p>
<p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SO3701/40LE TC LED OYSTER LIGHT</p> <ul style="list-style-type: none"> • 30W, IP20, CRI>80 • CCT - 3000K/4000K/6000K selectable • Lumen - 2500lm/2600lm/2600lm <p>DOWNLOAD DATASHEET</p>
<p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SE7081L BK WW/DL LED COMMERCIAL BUNKER LIGHT</p> <ul style="list-style-type: none"> • 16W, IP65, CRI>80 • CCT - 3000K/6000K • Lumen - 1100lm/1100lm <p>DOWNLOAD DATASHEET</p>
<p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SE7082L BK WW/DL LED COMMERCIAL BUNKER LIGHT</p> <ul style="list-style-type: none"> • 16W, IP65, CRI>80 • CCT - 3000K/6000K • Lumen - 1000lm/1000lm <p>DOWNLOAD DATASHEET</p>

 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>SE7083L BK WW/DL LED COMMERCIAL BUNKER LIGHT</p> <ul style="list-style-type: none"> • 23W, IP65, CRI>80 • CCT - 3000K/6000K • Lumen - 1400lm/1500lm <p>DOWNLOAD DATASHEET</p>
 <p>IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>SE7084L BK WW/DL LED COMMERCIAL BUNKER LIGHT</p> <ul style="list-style-type: none"> • 23W, IP65, CRI>80 • CCT - 3000K/6000K • Lumen - 1300lm/1400lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET NBB <input checked="" type="checkbox"/> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>SE7169/70 WW/NDL BK LED FLOOD LIGHT</p> <ul style="list-style-type: none"> • 70W, IP65, CRI>80 • CCT - 3000K/5000K • Lumen - 8100lm/8400lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET NBB <input checked="" type="checkbox"/> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>SE7169/100 WW/NDL BK LED FLOOD LIGHT</p> <ul style="list-style-type: none"> • 100W, IP65, CRI>80 • CCT - 3000K/5000K • Lumen - 11500lm/12000lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET NBB <input checked="" type="checkbox"/> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>SE7169/150 WW/NDL BK LED FLOOD LIGHT</p> <ul style="list-style-type: none"> • 150W, IP65, CRI>80 • CCT - 3000K/5000K • Lumen - 17300lm/18000lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET NBB <input checked="" type="checkbox"/> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>SE7169/200 WW/NDL BK LED FLOOD LIGHT</p> <ul style="list-style-type: none"> • 200W, IP65, CRI>80 • CCT - 3000K/5000K • Lumen - 23000lm/24000lm <p>DOWNLOAD DATASHEET</p>
 <p>VEET NBB <input checked="" type="checkbox"/> IPART <input checked="" type="checkbox"/> REES <input checked="" type="checkbox"/></p>	<p>SE7169/250 WW/NDL BK LED FLOOD LIGHT</p> <ul style="list-style-type: none"> • 250W, IP65, CRI>80 • CCT - 3000K/5000K • Lumen - 28800lm/30000lm <p>DOWNLOAD DATASHEET</p>

<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SE7199/100 WW/NDL/BK LED FLOOD LIGHTS</p> <ul style="list-style-type: none"> • 100W, IP65, CRI>80 • CCT - 3000K/5000K • Lumen - 9500lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SE7199/200 WW/NDL/BK LED FLOOD LIGHTS</p> <ul style="list-style-type: none"> • 200W, IP65, CRI>80 • CCT - 3000K/5000K • Lumen - 19000lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SE7199/250 WW/NDL/BK LED FLOOD LIGHTS</p> <ul style="list-style-type: none"> • 250W, IP65, CRI>80 • CCT - 3000K/5000K • Lumen - 22800lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHB23HE/100NDL LED UFO LIGHT</p> <ul style="list-style-type: none"> • 100W, IP65, CRI>80 • CCT - 5000K • Lumen - 14000lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHB23HE/150NDL LED UFO LIGHT</p> <ul style="list-style-type: none"> • 150W, IP65, CRI>80 • CCT - 5000K • Lumen - 21000lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHB23HE/200NDL LED UFO LIGHT</p> <ul style="list-style-type: none"> • 200W, IP65, CRI>80 • CCT - 5000K • Lumen - 28000lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHB23HO/80NDL LED UFO LIGHT</p> <ul style="list-style-type: none"> • 80W, IP65, CRI>80 • CCT - 5000K • Lumen - 11200lm <p>DOWNLOAD DATASHEET</p>

<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHB23HO/120NDL LED UFO LIGHT</p> <ul style="list-style-type: none"> • 120W, IP65, CRI>80 • CCT - 5000K • Lumen - 17400lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHB23HO/200NDL LED UFO LIGHT</p> <ul style="list-style-type: none"> • 200W, IP66, CRI>80 • CCT - 5000K • Lumen - 29000lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHB(SLB/SFD)25HE/S 80 LED UFO LIGHT</p> <ul style="list-style-type: none"> • 80W, IP65, CRI>80 • CCT - 5700K • Lumen - 12000lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHB(SLB/SFD)25HE/S 120 LED UFO LIGHT</p> <ul style="list-style-type: none"> • 120W, IP65, CRI>80 • CCT - 5700K • Lumen - 18000lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHB(SLB/SFD)25HE/S 180 LED UFO LIGHT</p> <ul style="list-style-type: none"> • 180W, IP65, CRI>80 • CCT - 5700K • Lumen - 27000lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHP205/75RCS LED CANOPY LIGHT</p> <ul style="list-style-type: none"> • 75W, IP66, CRI>75 • CCT - 5000K • Lumen - 9750lm <p>DOWNLOAD DATASHEET</p>
<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHP205/110RCS LED CANOPY LIGHT</p> <ul style="list-style-type: none"> • 110W, IP66, CRI>75 • CCT - 5000K • Lumen - 14300lm <p>DOWNLOAD DATASHEET</p>

<p>VEET <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHP205/150RCS LED CANOPY LIGHT</p> <ul style="list-style-type: none"> • 150W, IP66, CRI>75 • CCT - 5000K • Lumen - 19500lm <p>DOWNLOAD DATASHEET</p>
<p>VEET NBB <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHP210/50NDL/CB LED PORT LIGHT</p> <ul style="list-style-type: none"> • 50W, IP65, CRI>70 • CCT - 5000K • Lumen - 6500lm <p>DOWNLOAD DATASHEET</p>
<p>VEET NBB <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHP210/120NDL/CB LED PORT LIGHT</p> <ul style="list-style-type: none"> • 120W, IP65, CRI>70 • CCT - 5000K • Lumen - 16000lm <p>DOWNLOAD DATASHEET</p>
<p>VEET NBB <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHP210/180NDL/CB LED PORT LIGHT</p> <ul style="list-style-type: none"> • 180W, IP65, CRI>70 • CCT - 5000K • Lumen - 23400lm <p>DOWNLOAD DATASHEET</p>
<p>VEET NBB <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHP210/240NDL/CB LED PORT LIGHT</p> <ul style="list-style-type: none"> • 240W, IP65, CRI>70 • CCT - 5000K • Lumen - 34000lm <p>DOWNLOAD DATASHEET</p>
<p>VEET NBB <input checked="" type="checkbox"/></p> <p>IPART <input checked="" type="checkbox"/></p> <p>REES <input checked="" type="checkbox"/></p> 	<p>SHP210/300 NDL/CB LED PORT LIGHT</p> <ul style="list-style-type: none"> • 300W, IP65, CRI>70 • CCT - 5000K • Lumen - 42000lm <p>DOWNLOAD DATASHEET</p>

**OUR SUCCESS
IS MEASURED BY
OUR CUSTOMERS
SUCCESS™**



SAL National Pty Ltd
issue Dec 2019
www.sal.net.au

Since 1998

sal.net.au